


REMARKS

In this Supplemental Preliminary Amendment, the specification and drawings have been amended to address various minor issues noted during the preparation of formal drawings for this application. For example, FIG. 1 has been amended to include word labels for elements 10, 20, 30 and 40. Additionally, FIG. 5 has been amended to include reference characters for elements indicated in item 520, which are supported by the specification at least on page 12, lines 1-5. Finally, the Specification has been amended on page 6 to indicate the selection of lighting units to execute effects, as noted in block 250 of FIG. 2. No new matter has been added.

An earlier and favorable action is hereby earnestly solicited.

Respectfully submitted,
Frederick Morgan et al., Applicants


By: Joseph Teja, Jr., Reg. No. 45,157
Wolf, Greenfield & Sacks, P.C.
600 Atlantic Avenue
Boston, MA 02210
Tel. (617) 720-3500
Attorneys for Applicants

Docket No. C01104/70000 RFG/JT
Date: May 29, 2002
xNDDx

Version with Markings to Show Changes Made

The paragraph beginning on line 8 of page 6 has been amended as follows:

--Additionally, a user may select an effect and indicate a time at which that effect should begin 220. For example, the user may indicate that a brightening effect should start three minutes after a sequence commences. Additionally, the user may select an ending time or duration for the effect 230. Thus, by indicating that the effect should end five minutes after the sequence commences, or equivalently by indicating that the effect should last for two minutes, a user may set the time parameters of the brightening effect. Additional parameters may be specified by the user, as may be appropriate for the particular effect 240. For example, a brightening or dimming effect may be further defined by an initial brightness and an ending brightness. The rate of change may be predetermined, i.e., the dimming effect may apply a linear rate of dimming over the assigned timespan, or may be alterable by the user, e.g., may permit slow dimming at the beginning followed by a rapid drop-off, or by any other scheme the user specifies. Similarly, a pulse effect, as described above, might instead be characterized by a maximum brightness, a minimum brightness, and a periodicity, or rate of alternation. Additionally, the mode of alternation may be alterable by the user, e.g., the changes in brightness may reflect a sine function or alternating linear changes. In embodiments wherein color-changing lights are employed, parameters such as initial color, final color, rate of change, etc. may be specified by the user. Many additional effects and suitable parameters therefor are known or will be apparent to those of skill in the art, and fall within the scope of this disclosure. As shown in box 250 of FIG. 2, a user also may select one or more lighting units to execute one or more effects.--

Figure 1





Figure 2



BEST AVAILABLE COPY

5811

005

020

515

510

